Materials

- 1. C3604 brass, nickel plated
- 2. C3604 brass, nickel plated
- 3. C3604 brass, nickel plated 4. C3604 brass, nickel plated
- 5. POM, white

Electrical requirements

Dielectric strength: 1 min @ 500 Vac and 2mA Insulation resistance: 100 MΩ @ 500 Vdc Contact resistance: $50 \text{ m}\Omega$ or less

Mechanical requirements

Durability: 5000 mating cycles while maintaining normal operation and $< 50 \text{m}\Omega$

Bending strength: ≥ 3.2 kg Breaking strength: ≥ 6.8 kg


Environmental tests

Salt spray test: 5% NaCl spray at 1ml/80cm²/h, chamber temp 46.5°C, spray temp 35°C, 87% humidity, 48 hours. No oxidation.

Cold resistance: -25°C±3 for 2 hours with no degradation. Heat resistance: 85°C±3 for 2 hours with no degradation.

Operating range

-30 to 85 °C



| REVISION A | DATE 3/6/14 | DESCRIPTION Initial release | PREPARED: JM 2014.03.07 09:19:43 -08'00' | NOTES RoHS compliant | | T | TENSILIT | | |
|---------------|----------------|-----------------------------|--|--|---|------|----------|--|---|
| | | | VERIFIED: LA Option A serients on a seriest of the process of th | Function test: no open, no short | 20802 Sockeye Place #130 Bend, OR 97701 USA tel 541.323.3228 fax 541.323.4202 800 877.670.7118 www.tensility.com | | | | |
| | | | MILLIMETERS TOLERANCES: X: ± 0.5 mm X.X: ± 0.3 mm X.XX: ± 0.05 mm | DESCRIPTION: Connector, 4C stereo plug, 3.5xL20.7 mm, brass, nickel plated, white, molding style | | SIZE | | | |
| | | 5 | 4 | 3 | 2 | 1 | | | 1 |