



Item description

- Suitable for a main distribution board with two residual current breakers (RCB); includes all required components for wiring supply terminal blocks and connecting 14 AC circuits and two three-phase circuits.
- Distribution of ground fault potentials via two 10 x 3 mm N-busbars; separation of N-potentials for insulation resistance measurement via N-disconnect slide links within the multilevel installation terminal block

Contains:

- 16 x multilevel installation terminal block; NT/L/PE; 4 mm² (2003-7641)
- 2 x multilevel installation terminal block; L/L; 4 mm² (2003-7642)
- 2 x end and intermediate plate (2003-7692)
- 3 x 2-conductor supply terminal block for distribution boxes; gray; 16 mm² (2016-7601)
- 1 x 2-conductor supply terminal block for distribution boxes; blue; 16 mm² (2016-7604)
- 1 x 2-conductor ground terminal block; green-yellow; 16 mm² (2016-7607)
- 1 x end and intermediate plate (2016-7692)
- 2 x 1-conductor N-disconnect terminal block; blue; 16 mm² (2016-7714)
- 1 x end and intermediate plate (2016-7792)
- 1 x screwless end stop; 10 mm wide (249-117)
- 2 x busbar carrier; with end stop function (2009-305)
- 1 x busbar; tin-plated; 0.2 m (210-133)
- 1 x cover for busbar; transparent; 0.2 m (777-303)
- 1 x marking strip; white; 0.5 m (2009-110)
- 1 x WMB marker card; 1 ... 50 (793-5566)
- 1 x WMB marker card; L1, L2, L3, N, PE (793-5472)
- 1 x felt-tip pen (210-110)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Assembly width incl. end stop: 20.52 cm

Data**Material Data**

Note (material data)

Information on material specifications can be found here

Fire load	8.71 MJ
Weight	660.9 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-25
eCl@ss 9.0	27-14-11-25
ETIM 8.0	EC001329
ETIM 7.0	EC001329
PU (SPU)	1 pcs
Packaging type	box
Country of origin	QU
GTIN	4045454962272
Customs tariff number	80808080888

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c) 7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	747631dc-6775-4128-b3d6-068b99cd17fd
SCIP notification number (Belgium)	98e5eaf2-80fb-4bdd-a0f2-7c7f385cbe1d
SCIP notification number (Bulgaria)	1b09a6b6-979f-436e-ae86-47ebc5e90b31
SCIP notification number (Czech Republic)	b1a87153-de2a-4fb0-9ba3-e5df15299e37
SCIP notification number (Denmark)	1dde54ad-137b-4281-92b6-bac4adb4da56
SCIP notification number (Finland)	ac7c493a-f447-462c-b54d-1eec5781b01c

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



SCIP notification number (France)	2bbc3067-b7b1-4cf0-932a-a1fb7af923f9
SCIP notification number (Germany)	06281839-5f05-45f9-8837-d33f944eb98f
SCIP notification number (Hungary)	845bca7c-3e3e-47fc-924c-99dff8a03a4f
SCIP notification number (Italy)	17f0ffa9-0dac-44ee-83be-034cb00e5079
SCIP notification number (Netherlands)	f7cfab34-7ee1-4b1d-bdec-ac61ac1655a1
SCIP notification number (Poland)	88425b08-33b8-4e57-886a-f45658509cf9
SCIP notification number (Romania)	147f128b-af63-4ecb-aa47-70459a4343a5
SCIP notification number (Sweden)	29002714-c72b-4c6a-86a9-798043bb59e1

Downloads

Documentation

Bid Text

ausschreiben.de 821-122	URL	Download
---	-----	----------

Additional Information

Technical Section	pdf	Download
Technical explanations	2.2 MB	

CAD/CAE-Data

CAE data

WSCAD Universe 821-122	URL	Download
--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 821-122	URL	Download
TOPJOB® S FI main distribution board set		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!